

A guide to ICD-10-CM coding for patients who are prescribed NEXLETOL or NEXLIZET for an indication approved by the FDA

ICD-10-CM REFERENCE GUIDE

The coding information provided in this Reference Guide is of a general nature and is for educational purposes only. The codes listed herein may not apply to all patients or to all health plans; providers should exercise independent clinical judgment when selecting codes and submitting claims to accurately reflect the services and products rendered to a specific patient. Esperion does not recommend or endorse the use of any diagnosis code.

ICD-10-CM=International Classification of Diseases, Tenth Revision, Clinical Modification.

INDICATION

NEXLETOL and NEXLIZET are indicated as adjuncts to diet and maximally tolerated statin therapy for the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who require additional lowering of LDL-C.

Limitations of Use: The effect of NEXLETOL and NEXLIZET on cardiovascular morbidity and mortality has not been determined.

IMPORTANT SAFETY INFORMATION

Contraindications:

- NEXLETOL has no contraindications. NEXLIZET is contraindicated in patients with a known hypersensitivity to ezetimibe tablets. Hypersensitivity reactions including anaphylaxis, angioedema, rash, and urticaria have been reported with ezetimibe.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

Primary and secondary ICD-10-CM codes

2018 ACC/AHA Guideline on the Management of Blood Cholesterol defines clinical ASCVD as: Clinical ASCVD includes ACS, those with history of MI, stable or unstable angina or coronary or other arterial revascularization, stroke, TIA, or PAD including aortic aneurysm, all of atherosclerotic origin.¹

SECTION 1

Transient cerebral ischemic attacks and related syndromes	3
Ischemic heart diseases	3
Angina pectoris	3
Acute myocardial infarction	3
Subsequent ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction	3
Certain current complications following ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction (within the 28 day period)	3
Other acute ischemic heart diseases	4
Chronic ischemic heart disease	4

SECTION 2

Cerebrovascular diseases	5
Cerebral infarction	5
Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction	7
Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction	7
Other cerebrovascular diseases	7

SECTION 3

Diseases of arteries, arterioles and capillaries	8
Atherosclerosis	8
Other peripheral vascular diseases	14

SECTION 4

Family history of other specific disorders	15
Presence of cardiac and vascular implants and grafts	15
Other postprocedural states	15

Please use as many secondary codes as needed to appropriately describe your patient's condition.

For more information, visit NEXLIZETHCP.com.

ACC=American College of Cardiology; AHA=American Heart Association; ASCVD=atherosclerotic cardiovascular disease; ACS=acute coronary syndrome; MI=myocardial infarction; TIA=transient ischemic attack; PAD=peripheral arterial disease.

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions:

- **Hyperuricemia:** Bempedoic acid, a component of NEXLETOL and NEXLIZET, may increase blood uric acid levels.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Transient cerebral ischemic attacks and related syndromes

- G45.0** Vertebro-basilar artery syndrome
G45.1 Carotid artery syndrome (hemispheric)
G45.2 Multiple and bilateral precerebral artery syndromes
G45.8 Other transient cerebral ischemic attacks and related syndromes
G45.9 Transient cerebral ischemic attack, unspecified

Ischemic heart diseases

I20 Angina pectoris

- I20.0** Unstable angina
I20.1 Angina pectoris with documented spasm
I20.8 Other forms of angina pectoris
I20.9 Angina pectoris, unspecified

I21 Acute myocardial infarction

- I21.0** ST elevation (STEMI) myocardial infarction of anterior wall
I21.01 ST elevation (STEMI) myocardial infarction involving left main coronary artery
I21.02 ST elevation (STEMI) myocardial infarction involving left anterior descending coronary artery
I21.09 ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior wall
I21.1 ST elevation (STEMI) myocardial infarction of inferior wall
I21.11 ST elevation (STEMI) myocardial infarction involving right coronary artery
I21.19 ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior wall
I21.2 ST elevation (STEMI) myocardial infarction of other sites
I21.21 ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery
I21.29 ST elevation (STEMI) myocardial infarction involving other sites
I21.3 ST elevation (STEMI) myocardial infarction of unspecified site
I21.4 Non-ST elevation (NSTEMI) myocardial infarction
I21.9 Acute myocardial infarction, unspecified
I21.A Other type of myocardial infarction
I21.A9 Other myocardial infarction type

I22 Subsequent ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction

- I22.0** Subsequent ST elevation (STEMI) myocardial infarction of anterior wall
I22.1 Subsequent ST elevation (STEMI) myocardial infarction of inferior wall
I22.2 Subsequent non-ST elevation (NSTEMI) myocardial infarction
I22.8 Subsequent ST elevation (STEMI) myocardial infarction of other sites
I22.9 Subsequent ST elevation (STEMI) myocardial infarction of unspecified site

I23 Certain current complications following ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction (within the 28 day period)

- I23.7** Postinfarction angina
I23.8 Other current complications following acute myocardial infarction

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions (cont.):

- **Hyperuricemia (cont.):** Hyperuricemia may occur early in treatment and persist throughout treatment, and may lead to the development of gout, especially in patients with a history of gout.

Please see additional Important Safety Information throughout and full Prescribing Information for **NEXLETOL** and **NEXLIZET**.

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Ischemic heart diseases (cont.)

I24 Other acute ischemic heart diseases

I24.8 Other forms of acute ischemic heart disease

I24.9 Acute ischemic heart disease, unspecified

I25 Chronic ischemic heart disease

I25.10 Atherosclerotic heart disease of native coronary artery without angina pectoris

I25.110 Atherosclerotic heart disease of native coronary artery with unstable angina pectoris

I25.111 Atherosclerotic heart disease of native coronary artery with angina pectoris with documented spasm

I25.118 Atherosclerotic heart disease of native coronary artery with other forms of angina pectoris

I25.119 Atherosclerotic heart disease of native coronary artery with unspecified angina pectoris

I25.2 Old myocardial infarction

I25.700 Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris

I25.701 Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm

I25.708 Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris

I25.709 Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris

I25.710 Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris

I25.711 Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm

I25.718 Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris

I25.719 Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris

I25.720 Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris

I25.721 Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm

I25.728 Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris

I25.729 Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris

I25.730 Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris

I25.731 Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm

I25.738 Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris

I25.739 Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris

I25.750 Atherosclerosis of native coronary artery of transplanted heart with unstable angina

I25.751 Atherosclerosis of native coronary artery of transplanted heart with angina pectoris with documented spasm

I25.758 Atherosclerosis of native coronary artery of transplanted heart with other forms of angina pectoris

I25.759 Atherosclerosis of native coronary artery of transplanted heart with unspecified angina pectoris

I25.760 Atherosclerosis of bypass graft of coronary artery of transplanted heart with unstable angina

I25.761 Atherosclerosis of bypass graft of coronary artery of transplanted heart with angina pectoris with documented spasm

I25.768 Atherosclerosis of bypass graft of coronary artery of transplanted heart with other forms of angina pectoris

I25.769 Atherosclerosis of bypass graft of coronary artery of transplanted heart with unspecified angina pectoris

I25.790 Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris

I25.791 Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm

I25.798 Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris

I25.799 Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina pectoris

I25.810 Atherosclerosis of coronary artery bypass graft(s) without angina pectoris

I25.811 Atherosclerosis of native coronary artery of transplanted heart without angina pectoris

I25.812 Atherosclerosis of bypass graft of coronary artery of transplanted heart without angina pectoris

I25.83 Coronary atherosclerosis due to lipid rich plaque

I25.84 Coronary atherosclerosis due to calcified coronary lesion

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions (cont.):

- **Hyperuricemia (cont.):** Assess uric acid levels periodically as clinically indicated. Monitor for signs and symptoms of hyperuricemia, and initiate treatment with urate-lowering drugs as appropriate.

Please see additional Important Safety Information throughout and full Prescribing Information for **NEXLETOL** and **NEXLIZET**.

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Cerebrovascular diseases

I63 Cerebral infarction

I63.0	Cerebral infarction due to thrombosis of precerebral arteries
I63.00	Cerebral infarction due to thrombosis of unspecified precerebral artery
I63.01	Cerebral infarction due to thrombosis of vertebral artery
I63.011	Cerebral infarction due to thrombosis of right vertebral artery
I63.012	Cerebral infarction due to thrombosis of left vertebral artery
I63.013	Cerebral infarction due to thrombosis of bilateral vertebral arteries
I63.019	Cerebral infarction due to thrombosis of unspecified vertebral artery
I63.02	Cerebral infarction due to thrombosis of basilar artery
I63.03	Cerebral infarction due to thrombosis of carotid artery
I63.031	Cerebral infarction due to thrombosis of right carotid artery
I63.032	Cerebral infarction due to thrombosis of left carotid artery
I63.033	Cerebral infarction due to thrombosis of bilateral carotid arteries
I63.039	Cerebral infarction due to thrombosis of unspecified carotid artery
I63.09	Cerebral infarction due to thrombosis of other precerebral artery
I63.10	Cerebral infarction due to embolism of unspecified precerebral artery
I63.111	Cerebral infarction due to embolism of right vertebral artery
I63.112	Cerebral infarction due to embolism of left vertebral artery
I63.113	Cerebral infarction due to embolism of bilateral vertebral arteries
I63.119	Cerebral infarction due to embolism of unspecified vertebral artery
I63.12	Cerebral infarction due to embolism of basilar artery
I63.131	Cerebral infarction due to embolism of right carotid artery
I63.132	Cerebral infarction due to embolism of left carotid artery
I63.133	Cerebral infarction due to embolism of bilateral carotid arteries
I63.139	Cerebral infarction due to embolism of unspecified carotid artery
I63.19	Cerebral infarction due to embolism of other precerebral artery
I63.2	Cerebral infarction due to unspecified occlusion or stenosis of precerebral arteries
I63.20	Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries
I63.21	Cerebral infarction due to unspecified occlusion or stenosis of vertebral arteries
I63.211	Cerebral infarction due to unspecified occlusion or stenosis of right vertebral artery
I63.212	Cerebral infarction due to unspecified occlusion or stenosis of left vertebral artery
I63.213	Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries
I63.219	Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral artery
I63.22	Cerebral infarction due to unspecified occlusion or stenosis of basilar artery
I63.23	Cerebral infarction due to unspecified occlusion or stenosis of carotid arteries
I63.231	Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries
I63.232	Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries
I63.233	Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries
I63.239	Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid artery
I63.29	Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries
I63.3	Cerebral infarction due to thrombosis of cerebral arteries
I63.30	Cerebral infarction due to thrombosis of unspecified cerebral artery
I63.31	Cerebral infarction due to thrombosis of middle cerebral artery
I63.311	Cerebral infarction due to thrombosis of right middle cerebral artery
I63.312	Cerebral infarction due to thrombosis of left middle cerebral artery
I63.313	Cerebral infarction due to thrombosis of bilateral middle cerebral arteries
I63.319	Cerebral infarction due to thrombosis of unspecified middle cerebral artery
I63.32	Cerebral infarction due to thrombosis of anterior cerebral artery
I63.321	Cerebral infarction due to thrombosis of right anterior cerebral artery

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions (cont.):

- **Tendon Rupture:** Bempedoic acid is associated with an increased risk of tendon rupture or injury. In clinical trials, tendon rupture occurred in 0.5% of patients treated with bempedoic acid versus 0% of patients treated with placebo, and involved the rotator cuff (the shoulder), biceps tendon, or Achilles tendon.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Cerebrovascular diseases (cont.)

I63 Cerebral infarction (cont.)

I63.322	Cerebral infarction due to thrombosis of left anterior cerebral artery
I63.323	Cerebral infarction due to thrombosis of bilateral anterior cerebral arteries
I63.329	Cerebral infarction due to thrombosis of unspecified anterior cerebral artery
I63.33	Cerebral infarction due to thrombosis of posterior cerebral artery
I63.331	Cerebral infarction due to thrombosis of right posterior cerebral artery
I63.332	Cerebral infarction due to thrombosis of left posterior cerebral artery
I63.333	Cerebral infarction due to thrombosis of bilateral posterior cerebral arteries
I63.339	Cerebral infarction due to thrombosis of unspecified posterior cerebral artery
I63.34	Cerebral infarction due to thrombosis of cerebellar artery
I63.341	Cerebral infarction due to thrombosis of right cerebellar artery
I63.342	Cerebral infarction due to thrombosis of left cerebellar artery
I63.343	Cerebral infarction due to thrombosis of bilateral cerebellar arteries
I63.349	Cerebral infarction due to thrombosis of unspecified cerebellar artery
I63.39	Cerebral infarction due to thrombosis of other cerebral artery
I63.40	Cerebral infarction due to embolism of unspecified cerebral artery
I63.411	Cerebral infarction due to embolism of right middle cerebral artery
I63.412	Cerebral infarction due to embolism of left middle cerebral artery
I63.413	Cerebral infarction due to embolism of bilateral middle cerebral arteries
I63.419	Cerebral infarction due to embolism of unspecified middle cerebral artery
I63.421	Cerebral infarction due to embolism of right anterior cerebral artery
I63.422	Cerebral infarction due to embolism of left anterior cerebral artery
I63.423	Cerebral infarction due to embolism of bilateral anterior cerebral arteries
I63.429	Cerebral infarction due to embolism of unspecified anterior cerebral artery
I63.431	Cerebral infarction due to embolism of right posterior cerebral artery
I63.432	Cerebral infarction due to embolism of left posterior cerebral artery
I63.433	Cerebral infarction due to embolism of bilateral posterior cerebral arteries
I63.439	Cerebral infarction due to embolism of unspecified posterior cerebral artery
I63.441	Cerebral infarction due to embolism of right cerebellar artery
I63.442	Cerebral infarction due to embolism of left cerebellar artery
I63.443	Cerebral infarction due to embolism of bilateral cerebellar arteries
I63.449	Cerebral infarction due to embolism of unspecified cerebellar artery
I63.49	Cerebral infarction due to embolism of other cerebral artery
I63.50	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral artery
I63.511	Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral artery
I63.512	Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral artery
I63.513	Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle cerebral arteries
I63.519	Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle cerebral artery
I63.52	Cerebral infarction due to unspecified occlusion or stenosis of anterior cerebral artery
I63.521	Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral artery
I63.522	Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral artery
I63.523	Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior cerebral arteries
I63.529	Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior cerebral artery
I63.53	Cerebral infarction due to unspecified occlusion or stenosis of posterior cerebral artery
I63.531	Cerebral infarction due to unspecified occlusion or stenosis of right posterior cerebral artery
I63.532	Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral artery
I63.533	Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior cerebral arteries
I63.539	Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior cerebral artery
I63.54	Cerebral infarction due to unspecified occlusion or stenosis of cerebellar artery

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions (cont.):

- **Tendon Rupture (cont.):** Tendon rupture occurred within weeks to months of starting bempedoic acid. Tendon rupture may occur more frequently in patients over 60 years of age, patients taking corticosteroid or fluoroquinolone drugs, patients with renal failure, and patients with previous tendon disorders.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Cerebrovascular diseases (cont.)

I63 Cerebral infarction (cont.)

I63.541	Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery
I63.542	Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery
I63.543	Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries
I63.549	Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery
I63.59	Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery
I63.6	Cerebral infarction due to cerebral venous thrombosis, nonpyogenic
I63.8	Other cerebral infarction
I63.9	Cerebral infarction, unspecified

I65 Occlusion and stenosis of precerebral arteries, not resulting in cerebral infarction

I65.0	Occlusion and stenosis of vertebral artery
I65.01	Occlusion and stenosis of right vertebral artery
I65.02	Occlusion and stenosis of left vertebral artery
I65.03	Occlusion and stenosis of bilateral vertebral arteries
I65.09	Occlusion and stenosis of unspecified vertebral artery
I65.1	Occlusion and stenosis of basilar artery
I65.2	Occlusion and stenosis of carotid artery
I65.21	Occlusion and stenosis of right carotid artery
I65.22	Occlusion and stenosis of left carotid artery
I65.23	Occlusion and stenosis of bilateral carotid arteries
I65.29	Occlusion and stenosis of unspecified carotid artery
I65.8	Occlusion and stenosis of other precerebral arteries
I65.9	Occlusion and stenosis of unspecified precerebral artery

I66 Occlusion and stenosis of cerebral arteries, not resulting in cerebral infarction

I66.0	Occlusion and stenosis of middle cerebral artery
I66.01	Occlusion and stenosis of right middle cerebral artery
I66.02	Occlusion and stenosis of left middle cerebral artery
I66.03	Occlusion and stenosis of bilateral middle cerebral arteries
I66.09	Occlusion and stenosis of unspecified middle cerebral artery
I66.1	Occlusion and stenosis of anterior cerebral artery
I66.11	Occlusion and stenosis of right anterior cerebral artery
I66.12	Occlusion and stenosis of left anterior cerebral artery
I66.13	Occlusion and stenosis of bilateral anterior cerebral arteries
I66.19	Occlusion and stenosis of unspecified anterior cerebral artery
I66.2	Occlusion and stenosis of posterior cerebral artery
I66.21	Occlusion and stenosis of right posterior cerebral artery
I66.22	Occlusion and stenosis of left posterior cerebral artery
I66.23	Occlusion and stenosis of bilateral posterior cerebral arteries
I66.29	Occlusion and stenosis of unspecified posterior cerebral artery
I66.3	Occlusion and stenosis of cerebellar arteries
I66.8	Occlusion and stenosis of other cerebral arteries
I66.9	Occlusion and stenosis of unspecified cerebral artery

I67 Other cerebrovascular diseases

I67.2	Cerebral atherosclerosis
I67.81	Acute cerebrovascular insufficiency
I67.82	Cerebral ischemia

IMPORTANT SAFETY INFORMATION (cont.)

Warnings and Precautions (cont.):

- **Tendon Rupture (cont.):** Discontinue NEXLETOL or NEXLIZET at the first sign of tendon rupture. Avoid NEXLETOL and NEXLIZET in patients who have a history of tendon disorders or tendon rupture.

Please see additional Important Safety Information throughout and full Prescribing Information for **NEXLETOL** and **NEXLIZET**.

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries

I70 Atherosclerosis

I70.0	Atherosclerosis of aorta
I70.1	Atherosclerosis of renal artery
I70.2	Atherosclerosis of native arteries of the extremities
I70.20	Unspecified atherosclerosis of native arteries of extremities
I70.201	Unspecified atherosclerosis of native arteries of extremities, right leg
I70.202	Unspecified atherosclerosis of native arteries of extremities, left leg
I70.203	Unspecified atherosclerosis of native arteries of extremities, bilateral legs
I70.208	Unspecified atherosclerosis of native arteries of extremities, other extremity
I70.209	Unspecified atherosclerosis of native arteries of extremities, unspecified extremity
I70.21	Atherosclerosis of native arteries of extremities with intermittent claudication
I70.211	Atherosclerosis of native arteries of extremities with intermittent claudication, right leg
I70.212	Atherosclerosis of native arteries of extremities with intermittent claudication, left leg
I70.213	Atherosclerosis of native arteries of extremities with intermittent claudication, bilateral legs
I70.218	Atherosclerosis of native arteries of extremities with intermittent claudication, other extremity
I70.219	Atherosclerosis of native arteries of extremities with intermittent claudication, unspecified extremity
I70.22	Atherosclerosis of native arteries of extremities with rest pain
I70.221	Atherosclerosis of native arteries of extremities with rest pain, right leg
I70.222	Atherosclerosis of native arteries of extremities with rest pain, left leg
I70.223	Atherosclerosis of native arteries of extremities with rest pain, bilateral legs
I70.228	Atherosclerosis of native arteries of extremities with rest pain, other extremity
I70.229	Atherosclerosis of native arteries of extremities with rest pain, unspecified extremity
I70.23	Atherosclerosis of native arteries of right leg with ulceration
I70.231	Atherosclerosis of native arteries of right leg with ulceration of thigh
I70.232	Atherosclerosis of native arteries of right leg with ulceration of calf
I70.233	Atherosclerosis of native arteries of right leg with ulceration of ankle
I70.234	Atherosclerosis of native arteries of right leg with ulceration of heel and midfoot
I70.235	Atherosclerosis of native arteries of right leg with ulceration of other part of foot
I70.238	Atherosclerosis of native arteries of right leg with ulceration of other part of lower leg
I70.239	Atherosclerosis of native arteries of right leg with ulceration of unspecified site
I70.24	Atherosclerosis of native arteries of left leg with ulceration
I70.241	Atherosclerosis of native arteries of left leg with ulceration of thigh
I70.242	Atherosclerosis of native arteries of left leg with ulceration of calf
I70.243	Atherosclerosis of native arteries of left leg with ulceration of ankle
I70.244	Atherosclerosis of native arteries of left leg with ulceration of heel and midfoot
I70.245	Atherosclerosis of native arteries of left leg with ulceration of other part of foot
I70.248	Atherosclerosis of native arteries of left leg with ulceration of other part of lower leg
I70.249	Atherosclerosis of native arteries of left leg with ulceration of unspecified site
I70.25	Atherosclerosis of native arteries of other extremities with ulceration
I70.26	Atherosclerosis of native arteries of extremities with gangrene
I70.261	Atherosclerosis of native arteries of extremities with gangrene, right leg
I70.262	Atherosclerosis of native arteries of extremities with gangrene, left leg
I70.263	Atherosclerosis of native arteries of extremities with gangrene, bilateral legs
I70.268	Atherosclerosis of native arteries of extremities with gangrene, other extremity
I70.269	Atherosclerosis of native arteries of extremities with gangrene, unspecified extremity
I70.29	Other atherosclerosis of native arteries of extremities
I70.291	Other atherosclerosis of native arteries of extremities, right leg
I70.292	Other atherosclerosis of native arteries of extremities, left leg
I70.293	Other atherosclerosis of native arteries of extremities, bilateral legs

IMPORTANT SAFETY INFORMATION (cont.)

Adverse Reactions:

- In NEXLETOL clinical trials, the most commonly reported adverse reactions were upper respiratory tract infection, muscle spasms, hyperuricemia, back pain, abdominal pain or discomfort, bronchitis, pain in extremity, anemia, and elevated liver enzymes. Reactions reported less frequently, but still more often than with placebo, included benign prostatic hyperplasia and atrial fibrillation.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

I70 Atherosclerosis (cont.)

I70.298	Other atherosclerosis of native arteries of extremities, other extremity
I70.299	Other atherosclerosis of native arteries of extremities, unspecified extremity
I70.3	Atherosclerosis of unspecified type of bypass graft(s) of the extremities
I70.30	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities
I70.301	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg
I70.302	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg
I70.303	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs
I70.308	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity
I70.309	Unspecified atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity
I70.31	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication
I70.311	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, right leg
I70.312	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, left leg
I70.313	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs
I70.318	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, other extremity
I70.319	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity
I70.32	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain
I70.321	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, right leg
I70.322	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, left leg
I70.323	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, bilateral legs
I70.328	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, other extremity
I70.329	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with rest pain, unspecified extremity
I70.33	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration
I70.331	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of thigh
I70.332	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of calf
I70.333	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of ankle
I70.334	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of heel and midfoot
I70.335	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of foot
I70.338	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of other part of lower leg
I70.339	Atherosclerosis of unspecified type of bypass graft(s) of the right leg with ulceration of unspecified site
I70.34	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration
I70.341	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of thigh
I70.342	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of calf
I70.343	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of ankle
I70.344	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of heel and midfoot
I70.345	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of foot
I70.348	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of other part of lower leg
I70.349	Atherosclerosis of unspecified type of bypass graft(s) of the left leg with ulceration of unspecified site
I70.35	Atherosclerosis of unspecified type of bypass graft(s) of other extremity with ulceration
I70.36	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene
I70.361	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, right leg
I70.362	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, left leg
I70.363	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, bilateral legs
I70.368	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, other extremity
I70.369	Atherosclerosis of unspecified type of bypass graft(s) of the extremities with gangrene, unspecified extremity
I70.39	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities
I70.391	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, right leg
I70.392	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, left leg
I70.393	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, bilateral legs
I70.398	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, other extremity

IMPORTANT SAFETY INFORMATION (cont.)

Adverse Reactions (cont.):

- In the NEXLIZET clinical trial, the most commonly reported adverse reactions observed with NEXLIZET, but not observed in clinical trials of bempedoic acid or ezetimibe, a component of NEXLIZET, and occurring more frequently than with placebo, were urinary tract infection, nasopharyngitis, and constipation. Adverse reactions reported in clinical trials of ezetimibe, and occurring at an incidence greater than with placebo, included upper respiratory tract infection, diarrhea, arthralgia, sinusitis, pain in extremity, fatigue, and influenza.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

I70 Atherosclerosis (cont.)

I70.399	Other atherosclerosis of unspecified type of bypass graft(s) of the extremities, unspecified extremity
I70.4	Atherosclerosis of autologous vein bypass graft(s) of the extremities
I70.40	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities
I70.401	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg
I70.402	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg
I70.403	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs
I70.408	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity
I70.409	Unspecified atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity
I70.41	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication
I70.411	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, right leg
I70.412	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, left leg
I70.413	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, bilateral legs
I70.418	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, other extremity
I70.419	Atherosclerosis of autologous vein bypass graft(s) of the extremities with intermittent claudication, unspecified extremity
I70.42	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain
I70.421	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, right leg
I70.422	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, left leg
I70.423	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, bilateral legs
I70.428	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, other extremity
I70.429	Atherosclerosis of autologous vein bypass graft(s) of the extremities with rest pain, unspecified extremity
I70.43	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration
I70.431	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of thigh
I70.432	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of calf
I70.433	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of ankle
I70.434	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of heel and midfoot
I70.435	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of foot
I70.438	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of other part of lower leg
I70.439	Atherosclerosis of autologous vein bypass graft(s) of the right leg with ulceration of unspecified site
I70.44	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration
I70.441	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of thigh
I70.442	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of calf
I70.443	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of ankle
I70.444	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of heel and midfoot
I70.445	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of foot
I70.448	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of other part of lower leg
I70.449	Atherosclerosis of autologous vein bypass graft(s) of the left leg with ulceration of unspecified site
I70.45	Atherosclerosis of autologous vein bypass graft(s) of other extremity with ulceration
I70.46	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene
I70.461	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, right leg
I70.462	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, left leg
I70.463	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, bilateral legs
I70.468	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, other extremity
I70.469	Atherosclerosis of autologous vein bypass graft(s) of the extremities with gangrene, unspecified extremity
I70.49	Other atherosclerosis of autologous vein bypass graft(s) of the extremities
I70.491	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, right leg
I70.492	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, left leg
I70.493	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, bilateral legs
I70.498	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, other extremity
I70.499	Other atherosclerosis of autologous vein bypass graft(s) of the extremities, unspecified extremity

IMPORTANT SAFETY INFORMATION (cont.)

Adverse Reactions (cont.):

- Other adverse reactions reported in postmarketing use of ezetimibe included hypersensitivity reactions, including anaphylaxis, angioedema, rash, and urticaria; erythema multiforme; myalgia; elevated creatine phosphokinase; myopathy/rhabdomyolysis; elevations in liver transaminases; hepatitis; abdominal pain; thrombocytopenia; pancreatitis; nausea; dizziness; paresthesia; depression; headache; cholelithiasis; cholecystitis.

Please see additional Important Safety Information throughout and full Prescribing Information for **NEXLETOL** and **NEXLIZET**.

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

I70 Atherosclerosis (cont.)

I70.5	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities
I70.50	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities
I70.501	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg
I70.502	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg
I70.503	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs
I70.508	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity
I70.509	Unspecified atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity
I70.51	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities intermittent claudication
I70.511	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, right leg
I70.512	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, left leg
I70.513	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, bilateral legs
I70.518	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, other extremity
I70.519	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity
I70.52	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain
I70.521	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, right leg
I70.522	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, left leg
I70.523	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, bilateral legs
I70.528	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, other extremity
I70.529	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with rest pain, unspecified extremity
I70.53	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration
I70.531	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of thigh
I70.532	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of calf
I70.533	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of ankle
I70.534	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of heel and midfoot
I70.535	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of foot
I70.538	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of other part of lower leg
I70.539	Atherosclerosis of nonautologous biological bypass graft(s) of the right leg with ulceration of unspecified site
I70.54	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration
I70.541	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of thigh
I70.542	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of calf
I70.543	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of ankle
I70.544	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of heel and midfoot
I70.545	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of foot
I70.548	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of other part of lower leg
I70.549	Atherosclerosis of nonautologous biological bypass graft(s) of the left leg with ulceration of unspecified site
I70.55	Atherosclerosis of nonautologous biological bypass graft(s) of other extremity with ulceration
I70.56	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene
I70.561	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, right leg
I70.562	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, left leg
I70.563	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, bilateral legs
I70.568	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, other extremity
I70.569	Atherosclerosis of nonautologous biological bypass graft(s) of the extremities with gangrene, unspecified extremity
I70.59	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities
I70.591	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, right leg
I70.592	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, left leg
I70.593	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, bilateral legs
I70.598	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, other extremity
I70.599	Other atherosclerosis of nonautologous biological bypass graft(s) of the extremities, unspecified extremity
I70.6	Atherosclerosis of nonbiological bypass graft(s) of the extremities

IMPORTANT SAFETY INFORMATION (cont.)

Drug Interactions:

- *Simvastatin and Pravastatin*: Concomitant use with bempedoic acid results in increased concentrations and increased risk of simvastatin or pravastatin-related myopathy. Use of either NEXLETOL or NEXLIZET with greater than 20 mg of simvastatin or 40 mg of pravastatin should be avoided.

Please see additional Important Safety Information throughout and full Prescribing Information for **NEXLETOL** and **NEXLIZET**.

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

I70 Atherosclerosis (cont.)

I70.60	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities
I70.601	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg
I70.602	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg
I70.603	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs
I70.608	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity
I70.609	Unspecified atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity
I70.61	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication
I70.611	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, right leg
I70.612	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, left leg
I70.613	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, bilateral legs
I70.618	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, other extremity
I70.619	Atherosclerosis of nonbiological bypass graft(s) of the extremities with intermittent claudication, unspecified extremity
I70.62	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain
I70.621	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, right leg
I70.622	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, left leg
I70.623	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, bilateral legs
I70.628	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, other extremity
I70.629	Atherosclerosis of nonbiological bypass graft(s) of the extremities with rest pain, unspecified extremity
I70.63	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration
I70.631	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of thigh
I70.632	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of calf
I70.633	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of ankle
I70.634	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of heel and midfoot
I70.635	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of foot
I70.638	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of other part of lower leg
I70.639	Atherosclerosis of nonbiological bypass graft(s) of the right leg with ulceration of unspecified site
I70.64	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration
I70.641	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of thigh
I70.642	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of calf
I70.643	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of ankle
I70.644	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of heel and midfoot
I70.645	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of foot
I70.648	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of other part of lower leg
I70.649	Atherosclerosis of nonbiological bypass graft(s) of the left leg with ulceration of unspecified site
I70.65	Atherosclerosis of nonbiological bypass graft(s) of other extremity with ulceration
I70.66	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene
I70.661	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, right leg
I70.662	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, left leg
I70.663	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, bilateral legs
I70.668	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, other extremity
I70.669	Atherosclerosis of nonbiological bypass graft(s) of the extremities with gangrene, unspecified extremity
I70.69	Other atherosclerosis of nonbiological bypass graft(s) of the extremities
I70.691	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, right leg
I70.692	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, left leg
I70.693	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, bilateral legs
I70.698	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, other extremity
I70.699	Other atherosclerosis of nonbiological bypass graft(s) of the extremities, unspecified extremity
I70.7	Atherosclerosis of other type of bypass graft(s) of the extremities

IMPORTANT SAFETY INFORMATION (cont.)

Drug Interactions (cont.):

- *Cyclosporine*: Caution should be exercised when using NEXLIZET and cyclosporine concomitantly due to increased exposure to both ezetimibe and cyclosporine. Monitor cyclosporine concentrations in patients receiving NEXLIZET and cyclosporine. In patients treated with cyclosporine, the potential effects of the increased exposure to ezetimibe from concomitant use should be carefully weighed against the benefits of alterations in lipid levels provided by NEXLIZET.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

I70 Atherosclerosis (cont.)

I70.70	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities
I70.701	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, right leg
I70.702	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, left leg
I70.703	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs
I70.708	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, other extremity
I70.709	Unspecified atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity
I70.71	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication
I70.711	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, right leg
I70.712	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, left leg
I70.713	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, bilateral legs
I70.718	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, other extremity
I70.719	Atherosclerosis of other type of bypass graft(s) of the extremities with intermittent claudication, unspecified extremity
I70.72	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain
I70.721	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, right leg
I70.722	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, left leg
I70.723	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, bilateral legs
I70.728	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, other extremity
I70.729	Atherosclerosis of other type of bypass graft(s) of the extremities with rest pain, unspecified extremity
I70.73	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration
I70.731	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of thigh
I70.732	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of calf
I70.733	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of ankle
I70.734	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of heel and midfoot
I70.735	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of foot
I70.738	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of other part of lower leg
I70.739	Atherosclerosis of other type of bypass graft(s) of the right leg with ulceration of unspecified site
I70.74	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration
I70.741	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of thigh
I70.742	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of calf
I70.743	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of ankle
I70.744	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of heel and midfoot
I70.745	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of foot
I70.748	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of other part of lower leg
I70.749	Atherosclerosis of other type of bypass graft(s) of the left leg with ulceration of unspecified site
I70.75	Atherosclerosis of other type of bypass graft(s) of other extremity with ulceration
I70.76	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene
I70.761	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, right leg
I70.762	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, left leg
I70.763	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, bilateral legs
I70.768	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, other extremity
I70.769	Atherosclerosis of other type of bypass graft(s) of the extremities with gangrene, unspecified extremity
I70.79	Other atherosclerosis of other type of bypass graft(s) of the extremities
I70.791	Other atherosclerosis of other type of bypass graft(s) of the extremities, right leg
I70.792	Other atherosclerosis of other type of bypass graft(s) of the extremities, left leg
I70.793	Other atherosclerosis of other type of bypass graft(s) of the extremities, bilateral legs
I70.798	Other atherosclerosis of other type of bypass graft(s) of the extremities, other extremity
I70.799	Other atherosclerosis of other type of bypass graft(s) of the extremities, unspecified extremity
I70.8	Atherosclerosis of other arteries

IMPORTANT SAFETY INFORMATION (cont.)

Drug Interactions (cont.):

- **Fibrates:** Coadministration of NEXLIZET with fibrates other than fenofibrate is not recommended. Fenofibrate and ezetimibe may increase cholesterol excretion into the bile, leading to cholelithiasis. If cholelithiasis is suspected in a patient receiving NEXLIZET and fenofibrate, gallbladder studies are indicated and alternative lipid-lowering therapy should be considered.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid and ezetimibe) tablets

Diseases of arteries, arterioles and capillaries (cont.)

170 Atherosclerosis (cont.)

170.9 Other and unspecified atherosclerosis

170.90 Unspecified atherosclerosis

170.91 Generalized atherosclerosis

170.92 Chronic total occlusion of artery of the extremities

173 Other peripheral vascular diseases

173.8 Other specified peripheral vascular diseases

173.9 Peripheral vascular disease, unspecified

IMPORTANT SAFETY INFORMATION (cont.)

Drug Interactions (cont.):

- **Cholestyramine:** Concomitant use of NEXLIZET and cholestyramine decreases ezetimibe concentration. This may result in a reduction of efficacy. Administer NEXLIZET either at least 2 hours before, or at least 4 hours after, bile acid sequestrants.

Please see additional Important Safety Information throughout and full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

 **NEXLETOL**[®]
(bempedoic acid) tablets

 **NEXLIZET**[®]
(bempedoic acid
and ezetimibe) tablets

Family history of other specific disorders

Z83.42 Family history of familial hypercholesterolemia

Presence of cardiac and vascular implants and grafts

Z95.1 Presence of aortocoronary bypass graft

Z95.5 Presence of coronary angioplasty implant and graft

Z95.820 Peripheral vascular angioplasty status with implants and grafts

Other postprocedural states

Z98.6 Angioplasty status

Z98.61 Coronary angioplasty status

Z98.62 Peripheral vascular angioplasty status

For more information about ICD-10-CM codes, please visit the [Centers for Medicare & Medicaid Services website](#)

For more information, visit [NEXLIZETHCP.com](#).

Frequently used codes for your office

Use this section to keep track of the ICD-10-CM diagnosis codes that your office uses when prescribing NEXLETOL or NEXLIZET, or when enrolling patients in the NEXLETOL & NEXLIZET Co-Pay Card Program.

ICD-10-CM diagnosis code	Code description

IMPORTANT SAFETY INFORMATION (cont.)

Lactation and Pregnancy:

- It is not recommended that NEXLETOL or NEXLIZET be taken during breastfeeding. Discontinue NEXLETOL or NEXLIZET when pregnancy is recognized, unless the benefits of therapy outweigh the potential risks to the fetus. Based on the mechanism of action of bempedoic acid, NEXLETOL and NEXLIZET may cause fetal harm.

Please see full Prescribing Information for [NEXLETOL](#) and [NEXLIZET](#).

Reference: 1. Grundy SM, Stone NJ, Bailey AL, et al. 2018 AHA/ACC/AACVPR/AAPA/ABC/ACPM/ADA/AGS/APhA/ASPC/NLA/PCNA guideline on the management of blood cholesterol: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *Circulation*. 2019;139(25):e1046-e1081.

ESPERION[®]